D.	David	Bredt ^a
S.	Sean	Murphy ^b

^a University of California, San Francisco, Calif., and ^b University of Iowa, Iowa City, Iowa, USA

Preface

Dr. Sean Murphy, University of Iowa, College of Medicine, Iowa City, Iowa 52242 (USA), Tel 001 (319) 335-7965, Fax 001 (319) 335-8930

Endogenous nitric oxide (NO) is produced from the substrate L-arginine. Once generated, NO, or products of its further oxidation, can interact with nucleic acids, proteins and lipids. NO can either activate or inhibit certain enzymes which, in extremis, can lead to energy depletion, DNA damage and cell death. However, transient bursts of NO in small amount produce reversible effects in cells and so endow this molecule with the qualities of an intercellular 'messenger'.

In the adult brain only a small proportion of neurons, together with some glial cell elements, express neuronal NO synthase (nNOS). During embryonic development, the distribution of nNOS in the nervous system is widespread, implying that a mechanism suppresses nNOS expression in the mature brain. The question arises as to how this pattern is generated and why nNOS expression is turned off in the majority of neurons in the adult CNS.

Emerging evidence suggests this loss of nNOS expression may be correlated with neuronal differentiation. Intriguingly, reexpression of nNOS occurs in neurons that have been damaged following ischemia or deafferentation. These injured neurons ultimately die, suggesting that the expression of nNOS and production of NO may be involved in their demise. Such damaged neurons can be rescued by application of certain growth factors and recent evidence shows that these factors also block the re-expression of nNOS.

In addition to killing axotomized neurons, excess NO biosynthesis may play a role in neurodegenerative diseases including stroke, amyotrophic lateral sclerosis and Parkinson's disease. Identification of factors that regulate nNOS expression is therefore critical. The conclusions from studies in this Special Issue indicate novel means to suppress expression of nNOS and suggest therapeutic strategies for limiting ischemic damage and toxicity.

KAMGER

E-Mail karger@karger.ch Fax + 4161306 12 34 <http://www.karger.ch>
© 1997 S. Karger AG, Basel