60 Years of *Folia* – Review and Comparison of Two General Journals in Our Field

Harm K. Schutte^a Jan G. Švec^b

^aGroningen Voice Research Laboratory, University of Groningen, Groningen, The Netherlands;

^bDepartment of Experimental Physics, Laboratory of Biophysics, Faculty of Science, Palacky University Olomouc, Olomouc, Czech Republic

This issue of *Folia Phoniatria et Logopaedica* marks the end of the 60th volume of the international scientific journal of the International Association of Logopedics and Phoniatics (IALP). The IALP was founded in 1924, in the interbellum between the two world wars, on instigation of Emil Froeschels from Vienna and a few colleagues, Stern, Stein, Rothe and Trojan. International conferences were held in different places in Europe, which series was unfortunately interrupted by the Second World War. The last IALP international conference was held in Copenhagen in 1936, the first after-war conference was held 14 years later in Amsterdam in 1950.

In these 14 years several well-known colleagues had died but, fortunately, many of the leading European phoniatricians could escape to a safer place in the world (many were Jewish). The conference in Amsterdam was held in a joyful atmosphere, renewing acquaintance after the war. Many pre-war specialized journals in the field had ceased publication, so in effect by the end of the war no single specialized journal in the field was available to the clinicians. There was a clearly recognized need to provide some means whereby professionals working in the field of phoniatics and logopedics could develop their interest, present research results, publish papers of scientific and practical importance and in this way communi-

cate with each other, also across the borders. The interest in phoniatics and logopedics was taken over by a rising second generation of medical doctors working in the field of phoniatics. Against this background the journal *Folia Phoniatria* was founded by Richard Luchsinger (Zürich), Miloslav Seeman (Prague), and Jean Tarneaud (Paris). The name *Folia Phoniatria* did fit well in the trend of that after-war time. Many 'Folias' were founded, but not many survived until today. On initiative of the IALP the name was modified to *Folia Phoniatria et Logopaedica* in 1994, but the Latin language was kept. *Folia Phoniatria et Logopaedica* now exists 60 years and this is more than worth celebrating.

We will do this by a novelty in the history of *Folia*. For the first time an article, written by Jürgen Wendler, is accompanied by audio-visual illustrations. This article is a slightly modified version of an invited lecture presented at the 7th PanEuropean Voice Conference (PEVoC) in Groningen in 2007. This conference carried the motto '60 Years of Voice Research in Groningen', because Jw. van den Berg started the research on the production of vowels and the basis of human sound – the production of voice – in Groningen in 1947. Wendler's article concentrates on the phoniatricians that also showed a great interest in (semi)-professional singing.

The audio-visual files with historic illustrative material can be downloaded from the Karger website server (www.karger.com/doi/10.1159/000170076). Thanks to the generosity of Karger Publishing, all the readers can have access to see and hear our predecessors in the field.

In the first three to four decennia *Folia* took the lead in the field of communication disorders. In recent time more specialized journals have emerged, e.g. on aphasia, on language development, on voice, on stuttering, etc., but the publications and interest, in general, has hardly changed over the years. We, at this moment, expect a boost from the fact that our impact factor currently is about 1.4. This is especially of importance for the (West)-European countries. Our journal has taken an active approach with regard to impact factor measures and we intend to keep this initiative to protect the field of phoniatrics and logopedics against blindly applied general criteria of scientific measures handicapping under-researched interdisciplinary fields [1].

However, how is the situation compared to other general journals in our field? The journal which has the most similar focus to *Folia Phoniatria et Logopaedica* and is published in Europe is *Logopedics-Phoniatrics-Vocology* (LPV), which is now in the 32nd year of appearance, after several name changes. An obvious difference between these two journals is the rate of issuing: *Folia* appears 6 times a year, and LPV 4 times a year. Of course this has a direct influence on the number of articles in a volume. In *Folia* 42 articles were published in 2007, 3 more than in 2006. The total number over 2006 and 2007 is 81 articles. In 2006 and 2007 LPV published 44 articles. In table 1 a comparison is given between the two journals on the countries from which the articles originated. This table is based on the country of the first author. Accepted articles came from 26 countries in *Folia* and 17 countries in LPV. It might be that researchers from more than one country contributed to some of the published articles, but that is not reflected in table 1. It might be clear that LPV is more Scandinavia- and UK-oriented, which appears to be a consequence of the fact that the origins of LPV are in the former *Scandinavian Journal of Logopedics and Phoniatrics* and the UK journal *Voice*. *Folia* is more broadly internationally oriented since it is an official journal of the world-encompassing IALP [1].

Another even more interesting issue is the contents of both journals. We categorized the contents following an easy concept. This is, of course, a personal choice and could be subject to criticism, but, in general, a slightly different approach in categorization would not change the

Table 1. Number of articles published in 2006–2007 per country of the first author

Country	<i>Folia Phoniatria et Logopaedica</i>		<i>Logopedics-Phoniatrics-Vocology</i>	
	articles	references	articles	references
USA	17	[4, 10–25]	5	[26–29]
The Netherlands	11	[1, 30–39]	1	[40]
Germany	8	[41–48]	3	[49–51]
Australia	6	[2, 52–56]	3	[5, 8, 57]
Belgium	5	[58–62]	–	
Brazil	4	[63–66]	–	
United Kingdom	4	[3, 67–69]	6	[70–75]
PR of China	3	[7, 76, 77]	–	
Finland	2	[78, 79]	8	[80–87]
Greece	2	[88, 89]	–	
Japan	2	[90, 91]	1	[92]
Malta	2	[93, 94]	–	
Switzerland	2	[9, 95]	1	[96]
Canada	1	[97]	–	
Egypt	1	[98]	–	
France	1	[99]	2	[100, 101]
Ireland	1	[102]	1	[103]
Italy	1	[104]	–	
Jordan	1	[105]	–	
Norway	1	[106]	2	[107, 108]
Poland	1	[109]	1	[110]
Portugal	1	[111]	–	
South Africa	1	[112]	–	
Spain	1	[113]	–	
Sweden	1	[114]	5	[6, 115–118]
Taiwan	1	[119]	–	
Austria	–		1	[120]
Russia	–		1	[121]
Czech Republic	–		2	[122, 123]
Turkey	–		1	[124]
Total	81		44	

general picture. Table 2 shows the results of this categorization including the references to the articles in both journals. In *Folia* the articles are spread over more topics of phoniatrics and logopedics, whereas LPV publishes a larger percentage of articles on ‘voice’.

Based on the information above, we may conclude that the 60-year-old journal *Folia Phoniatria et Logopaedica* serves well as the general journal in the field of communication disorders. While in the past *Folia* was considered by some of our colleagues mainly a ‘voice’ journal, comparison with another European (general) journal like LPV makes it clear that this is not true anymore.

Table 2. Distribution of articles published in 2006 and 2007 categorized after the topic

Field	Topic	<i>Folia Phoniatria et Logopaedica</i>		<i>Logopedics-Phoniatrics-Vocology</i>	
		articles	references	articles	references
Voice	assessment/evaluation	14	[11, 30–33, 36, 53, 66, 77–79, 99, 109, 119]	11	[5, 6, 8, 72, 81, 83, 84, 103, 110, 117, 121]
	acoustics/singing	1	[19]	9	[49, 57, 70, 75, 80, 82, 87, 100, 101]
	physiology/basic science	9	[14, 21, 35, 37, 42, 46, 76, 106, 111]	9	[26, 50, 51, 74, 85, 96, 120, 122, 123]
	voice rehab/laryngectomy	2	[7, 41]	6	[28, 29, 40, 71, 73, 86]
	laryngology	5	[22, 56, 64, 65, 67]	1	[115]
Speech	articulation/dysarthria	11	[4, 12, 16, 24, 25, 55, 59, 60, 91, 104, 105]	4	[27, 108, 116, 118]
	education	10	[10, 13, 15, 18, 52, 63, 90, 93, 102, 114]	1	[124]
	stuttering	3	[38, 58, 68]	–	–
	nasality	4	[9, 17, 44, 62]	–	–
Language		13	[2, 3, 20, 23, 48, 54, 61, 69, 89, 94, 97, 98, 113]	1	[107]
Hearing		3	[43, 45, 47]	1	[92]
Swallowing		1	[112]	–	–
Book reviews		3	[34, 88, 95]	–	–
Editorial		2	[1, 39]	1	[125]
Total		81		44	

References

- Schutte HK, Svec JG: Reaction of *Folia Phoniatria et Logopaedica* on the current trend of impact factor measures. *Folia Phoniatr Logop* 2007;59:281–285.
- Dodd B: Evidence-based practice and speech-language pathology: strengths, weaknesses, opportunities and threats. *Folia Phoniatr Logop* 2007;59:118–129.
- Fisher SE: Molecular windows into speech and language disorders. *Folia Phoniatr Logop* 2007;59:130–140.
- Yorkston KM: The degenerative dysarthrias: a window into critical clinical and research issues. *Folia Phoniatr Logop* 2007;59:107–117.
- Baker J, Ben-Tovim DI, Butcher A, Esterman A, McLaughlin K: Development of a modified diagnostic classification system for voice disorders with inter-rater reliability study. *Logoped Phoniatr Vocol* 2007;32:99–112.
- Holmberg EB, Ihre E, Södersten M: Phonetograms as a tool in the voice clinic: changes across voice therapy for patients with vocal fatigue. *Logoped Phoniatr Vocol* 2007;32:113–127.
- Liu HJ, Ng ML, Wan MX, Wang SP, Zhang Y: Effects of place of articulation and aspiration on voice onset time in Mandarin esophageal speech. *Folia Phoniatr Logop* 2007;59:147–154.
- Pasa G, Oates J, Dacakis G: The relative effectiveness of vocal hygiene training and vocal function exercises in preventing voice disorders in primary school teachers. *Logoped Phoniatr Vocol* 2007;32:128–140.
- Vrticka K: Present-day importance of the velocardiofacial syndrome – to commemorate the late Prof. Eva Sedlackova, MD, on the 50th anniversary of her original publication. *Folia Phoniatr Logop* 2007;59:141–146.
- Battle DE: The education of speech-language pathologists in the United States of America. *Folia Phoniatr Logop* 2006;58:7–13.
- Bunton K: Fundamental frequency as a perceptual cue for vowel identification in speakers with Parkinson's disease. *Folia Phoniatr Logop* 2006;58:323–339.
- Chen Y: Production of tense-lax contrast by Mandarin speakers of English. *Folia Phoniatr Logop* 2006;58:240–249.
- Cheng LRL: Global perspective of speech pathology education. *Folia Phoniatr Logop* 2006;58:5–6.
- Deliyski DD, Shaw HS, Evans MK, Vesselinov R: Regression tree approach to studying factors influencing acoustic voice analysis. *Folia Phoniatr Logop* 2006;58:274–288.
- Gallagher TM: US doctoral education: critical shortages and plans for reshaping the future. *Folia Phoniatr Logop* 2006;58:32–35.
- Hustad KC: Estimating the intelligibility of speakers with dysarthria. *Folia Phoniatr Logop* 2006;58:217–228.
- Jones DL: Patterns of oral-nasal balance in normal speakers with and without cleft palate. *Folia Phoniatr Logop* 2006;58:383–391.
- Logemann JA: Preparation of speech-language pathologists in the United States: the master's degree. *Folia Phoniatr Logop* 2006;58:55–58.
- Ng ML, Bailey RL: Acoustic changes related to laryngeal examination with a rigid telescope. *Folia Phoniatr Logop* 2006;58:353–362.
- Smith AB, Robb MP: The influence of utterance position on children's production of lexical stress. *Folia Phoniatr Logop* 2006;58:199–206.
- Brown WS, Shrivastav R: Comfortable effort level in young children's speech. *Folia Phoniatr Logop* 2007;59:227–233.
- Charpied GL: The pars interna/media anatomy and histology in the human larynx. *Folia Phoniatr Logop* 2007;59:241–249.
- Hough MS: Incidence of word finding deficits in normal aging. *Folia Phoniatr Logop* 2007;59:10–19.
- Hustad KC: Effects of speech stimuli and dysarthria severity on intelligibility scores and listener confidence ratings for speakers with cerebral palsy. *Folia Phoniatr Logop* 2007;59:306–317.

- 25 Roy N, Mauszycki SC, Merrill RM, Gouse M, Smith ME: Toward improved differential diagnosis of adductor spasmodic dysphonia and muscle tension dysphonia. *Folia Phoniatr Logop* 2007;59:83–90.
- 26 Kunduk M, Yan Y, McWhorter AJ, Bless D: Investigation of voice initiation and voice offset characteristics with high-speed digital imaging. *Logoped Phoniatr Vocol* 2006;31:139–144.
- 27 Searl J, Evitts P, Davis WJ: Perceptual and acoustic evidence of speaker adaptation to a thin pseudopalate. *Logoped Phoniatr Vocol* 2006;31:107–116.
- 28 Titze IR, Laukkanen AM: Can vocal economy in phonation be increased with an artificially lengthened vocal tract? A computer modeling study. *Logoped Phoniatr Vocol* 2007;32:147–156.
- 29 Evitts PM, Gabel R, Searl J: Listeners' perceptions of the personality of male alaryngeal speakers. *Logoped Phoniatr Vocol* 2007;32:53–59.
- 30 de Jong FI, Kooijman PG, Thomas G, Huinck WJ, Graamans K, Schutte HK: Epidemiology of voice problems in Dutch teachers. *Folia Phoniatr Logop* 2006;58:186–198.
- 31 Hakkesteegt MM, Wieringa MH, Gerritsma EJ, Feenstra L: Reproducibility of the Dutch version of the Voice Handicap Index. *Folia Phoniatr Logop* 2006;58:132–138.
- 32 Hakkesteegt MM, Brocaar MP, Wieringa MH, Feenstra L: Influence of age and gender on the dysphonia severity index: a study of normative values. *Folia Phoniatr Logop* 2006;58:264–273.
- 33 Kooijman PG, de Jong FI, Thomas G, Huinck W, Donders R, Graamans K, Schutte HK: Risk factors for voice problems in teachers. *Folia Phoniatr Logop* 2006;58:159–174.
- 34 Miller DG: Janice L. Chapman – Singing and Teaching Singing: A Holistic Approach to Classical Voice (book review). *Folia Phoniatr Logop* 2006;58:303–304.
- 35 Thomas G, De Jong FICR, Cremers CWRJ, Kooijman PGC: Prevalence of voice complaints, risk factors and impact of voice problems in female student teachers. *Folia Phoniatr Logop* 2006;58:65–84.
- 36 Thomas G, de Jong FI, Kooijman PG, Cremers CW: Utility of the Type D Scale 16 and Voice Handicap Index to assist voice care in student teachers and teachers. *Folia Phoniatr Logop* 2006;58:250–263.
- 37 Thomas G, de Jong FI, Kooijman PG, Donders AR, Cremers CW: Voice complaints, risk factors for voice problems and history of voice problems in relation to puberty in female student teachers. *Folia Phoniatr Logop* 2006;58:305–322.
- 38 Huinck W, Rietveld T: The validity of a simple outcome measure to assess stuttering therapy. *Folia Phoniatr Logop* 2007;59:91–99.
- 39 Svec JG, Behlau M: April 16th: The World Voice Day. *Folia Phoniatr Logop* 2007;59:53–54.
- 40 Jongmans P, Hilgers FJ, Pols LC, van As-Brooks CJ: The intelligibility of tracheoesophageal speech, with an emphasis on the voiced-voiceless distinction. *Logoped Phoniatr Vocol* 2006;31:172–181.
- 41 Dahl R, Witt G: Analyse von Stimmparametern nach konservativer Behandlung von Larynxparesen mit konventioneller Stimmübung oder neuromuskulärer elektrophonatorischer Stimulation. *Folia Phoniatr Logop* 2006;58:415–426.
- 42 Hess MM, Mueller F, Kobler JB, Zeitels SM, Goodyer E: Measurements of vocal fold elasticity using the linear skin rheometer. *Folia Phoniatr Logop* 2006;58:207–216.
- 43 Kummer P, Burger M, Schuster M, Rosanowski F, Eysholdt U, Hoppe U: Cortical auditory evoked potentials to acoustic changes in speech stimuli in children. *Folia Phoniatr Logop* 2007;59:273–280.
- 44 Mueller K, Neuber B, Schelhorn-Neise P, Schumann D: Diagnostic value of nasometry – representative study of patients with cleft palate and normal subjects. *Folia Phoniatr Logop* 2007;59:219–226.
- 45 Neumann K, Gross M, Böttcher P, Euler HA, Spormann-Lagodzinski M, Polzer M: Effectiveness and efficiency of a universal newborn hearing screening in Germany. *Folia Phoniatr Logop* 2006;58:440–455.
- 46 Rasp O, Lohscheller J, Doellinger M, Eysholdt U, Hoppe U: The pitch rise paradigm: a new task for real-time endoscopy of non-stationary phonation. *Folia Phoniatr Logop* 2006;58:175–185.
- 47 Reeh M, Kiese-Himmel C: Veränderungsmessung der Fähigkeit zur lautsprachlichen Analogiebildung schallempfindungs-gestörter Kinder. *Folia Phoniatr Logop* 2007;59:65–73.
- 48 Wink M, Rosanowski F, Hoppe U, Eysholdt U, Grassel E: Subjective burden in mothers of speech-impaired children. *Folia Phoniatr Logop* 2007;59:268–272.
- 49 Andreas T: The influence of tonal movement and vowel quality on intelligibility in singing. *Logoped Phoniatr Vocol* 2006;31:17–22.
- 50 Dresel C, Mergell P, Hoppe U, Eysholdt U: An asymmetric smooth contour two-mass model for recurrent laryngeal nerve paralysis. *Logoped Phoniatr Vocol* 2006;31:61–75.
- 51 Winkler R, Sendlmeier W: EGG open quotient in aging voices: changes with increasing chronological age and its perception. *Logoped Phoniatr Vocol* 2006;31:51–56.
- 52 Ferguson A: Competency-based occupational standards: influences on Australian speech pathology education. *Folia Phoniatr Logop* 2006;58:23–31.
- 53 Walsh R, Behlau M: A new perspective on terminology. *Folia Phoniatr Logop* 2006;58:380–381.
- 54 Docking KM, Murdoch BE, Suppiah R: The impact of a cerebellar tumour on language function in childhood. *Folia Phoniatr Logop* 2007;59:190–200.
- 55 Murdoch BE, Whelan BM: Language disorders subsequent to left cerebellar lesions: a case for bilateral cerebellar involvement in language? *Folia Phoniatr Logop* 2007;59:184–189.
- 56 Vertigan AE, Theodoros DG, Winkworth AL, Gibson PG: Perceptual voice characteristics in chronic cough and paradoxical vocal fold movement. *Folia Phoniatr Logop* 2007;59:256–267.
- 57 Gullaer I, Walker R, Badin P, Lamalle L: Image, imagination, and reality: on effectiveness of introductory work with vocalists. *Logoped Phoniatr Vocol* 2006;31:89–96.
- 58 Van Borsel J, Moeyaert J, Mostaert C, Rosseel R, Van Loo E, Van Renterghem T: Prevalence of stuttering in regular and special school populations in Belgium based on teacher perceptions. *Folia Phoniatr Logop* 2006;58:289–302.
- 59 De Smet HJ, Baillieux H, De Deyn PP, Mariën P, Paquier P: The cerebellum and language: the story so far. *Folia Phoniatr Logop* 2007;59:165–170.
- 60 Mariën P, Verhoeven J: Cerebellar involvement in motor speech planning: some further evidence from foreign accent syndrome. *Folia Phoniatr Logop* 2007;59:210–217.
- 61 Paquier PF: The cerebellum and language (editorial). *Folia Phoniatr Logop* 2007;59:163–164.
- 62 Van Lierde KM, Wuyts FL, Bonte K, Van CP: The nasality severity index: an objective measure of hypernasality based on a multi-parameter approach. A pilot study. *Folia Phoniatr Logop* 2007;59:31–38.
- 63 Behlau M, Gasparini G: Education of speech-language pathologists and audiologists in Brazil. *Folia Phoniatr Logop* 2006;58:14–22.
- 64 Pontes P, Yamasaki R, Behlau M: Morphological and functional aspects of the senile larynx. *Folia Phoniatr Logop* 2006;58:151–158.
- 65 Ruiz DM, Pontes P, Behlau M, Richieri-Costa A: Laryngeal microweb and vocal nodules: clinical study in a Brazilian population. *Folia Phoniatr Logop* 2006;58:392–399.
- 66 Behlau M, Hogikyan ND, Gasparini G: Quality of life and voice: study of a Brazilian population using the voice-related quality of life measure. *Folia Phoniatr Logop* 2007;59:286–296.
- 67 Al-Yousuf A, Jain A, Parker AJ: Postthyroplasty implant extrusion. *Folia Phoniatr Logop* 2006;58:139–142.
- 68 Howell P: The effects of gated speech on the fluency of speakers who stutter. *Folia Phoniatr Logop* 2007;59:250–255.
- 69 Dockrell JE, Messer D: Language profiles and naming in children with word finding difficulties. *Folia Phoniatr Logop* 2007;59:318–323.
- 70 Fourcin A: Discussant response to 'Mirroring the voice from Garcia to the present day: some insights into singing voice registers'. *Logoped Phoniatr Vocol* 2006;31:15–16.

- 71 Fulljames N, Harris S: Voice outcome measures: correlations with patients' assessment of their condition and the effectiveness of voice therapy. *Logoped Phoniatr Vocol* 2006; 31:23–35.
- 72 Carding P: Occupational voice disorders: is there a firm case for industrial injuries disablement benefit? *Logoped Phoniatr Vocol* 2007;32:47–48.
- 73 Snelling JD, Price T, Montgomery PQ, Blagnys BL: How we do it: secondary tracheoesophageal puncture under local anaesthetic, using a trans-nasal flexible laryngoesophagoscope (TNFLO). *Logoped Phoniatr Vocol* 2007;32:80–82.
- 74 Davies J, Anderson S, Huchison L, Stewart G: Interactions between voice clinics and singing teachers: a report on the British Voice Association questionnaire to voice clinics in the UK. *Logoped Phoniatr Vocol* 2007;32:83–86.
- 75 Howard DM: Equal or non-equal temperament in a capella SATB singing. *Logoped Phoniatr Vocol* 2007;32:87–94.
- 76 Liu H, Wan M, Ng ML, Wang S, Lu C: Tonal perceptions in normal laryngeal, esophageal, and electrolaryngeal speech of Mandarin. *Folia Phoniatr Logop* 2006;58:340–352.
- 77 Ma EP, Yiu EM: Scaling voice activity limitation and participation restriction in dysphonic individuals. *Folia Phoniatr Logop* 2007;59:74–82.
- 78 Alku P, Story B, Airas M: Estimation of the voice source from speech pressure signals: evaluation of an inverse filtering technique using physical modelling of voice production. *Folia Phoniatr Logop* 2006;58:102–113.
- 79 Laukkanen AM, Kankare E: Vocal loading-related changes in male teachers' voices investigated before and after a working day. *Folia Phoniatr Logop* 2006;58:229–239.
- 80 Toivanen J, Waaramaa T, Alku P, Laukkanen AM, Seppänen T, Väyrynen E, Airas M: Emotions in [a]: a perceptual and acoustic study. *Logoped Phoniatr Vocol* 2006;31:43–48.
- 81 Lehto L, Laaksonen L, Vilkmann E, Alku P: Occupational voice complaints and objective acoustic measurements: do they correlate? *Logoped Phoniatr Vocol* 2006;31:147–152.
- 82 Björkner E, Sundberg J, Alku P: Subglottal pressure and normalized amplitude quotient variation in classically trained baritone singers. *Logoped Phoniatr Vocol* 2006;31:157–165.
- 83 Smolander S, Huttunen K: Voice problems experienced by Finnish comprehensive school teachers and realization of occupational health care. *Logoped Phoniatr Vocol* 2006;31:166–171.
- 84 Sukanen O, Sihvo M, Rorarius E, Lehtihalmes M, Autio V, Kleemola L: Voice Activity and Participation Profile (VAPP) in assessing the effects of voice disorders on patients' quality of life: validity and reliability of the Finnish version of VAPP. *Logoped Phoniatr Vocol* 2007;32:3–8.
- 85 Laukkanen AM, Pulakka H, Alku P, Vilkmann E, Hertegård S, Lindestad PA, Larsson H, Granqvist S: High-speed registration of phonation-related glottal area variation during artificial lengthening of the vocal tract. *Logoped Phoniatr Vocol* 2007;32:157–164.
- 86 Simberg S, Laine A: The resonance tube method in voice therapy: description and practical implementations. *Logoped Phoniatr Vocol* 2007;32:165–170.
- 87 Waaramaa T, Alku P, Laukkanen AM: The role of F3 in the vocal expression of emotions. *Logoped Phoniatr Vocol* 2006;31:153–156.
- 88 Papanthanasou I: Book review: occupational voice loss. *Folia Phoniatr Logop* 2007;59:100–101.
- 89 Vlachos F, Papanthanasou I, Andreou G: Cerebellum and reading. *Folia Phoniatr Logop* 2007;59:177–183.
- 90 Iitaka K: Issues of Japanese speech therapy education considering the 1995 guidelines of International Association of Logopedics and Phoniatrics (IALP). *Folia Phoniatr Logop* 2006;58:41–47.
- 91 Nishio M, Niimi S: Comparison of speaking rate, articulation rate and alternating motion rate in dysarthric speakers. *Folia Phoniatr Logop* 2006;58:114–131.
- 92 Nakamura H, Gilbert H, Robb M: A comparative study of vocal fundamental frequency in the speech of Japanese and American hearing-impaired children. *Logoped Phoniatr Vocol* 2007;32:17–22.
- 93 Grech H: Education in logopaedics in the Maltese Islands. *Folia Phoniatr Logop* 2006;58:36–40.
- 94 Gatt D: Establishing the concurrent validity of a vocabulary checklist for young Maltese children. *Folia Phoniatr Logop* 2007;59:297–305.
- 95 Muller A, Schutte HK: Gerhard Böhm, Manfred Gross – Stroboscopy (book review). *Folia Phoniatr Logop* 2006;58:143.
- 96 Menzer F, Buchli J, Howard DM, Ijspeert AJ: Nonlinear modelling of double and triple period pitch breaks in vocal fold vibration. *Logoped Phoniatr Vocol* 2006;31:36–42.
- 97 Walter N, Joannette Y: The unnoticed contributions of the cerebellum to language. *Folia Phoniatr Logop* 2007;59:171–176.
- 98 Saleh M, Shoenib R, Hegazi M, Ali P: Early phonological development in Arabic Egyptian children: 12–30 months. *Folia Phoniatr Logop* 2007;59:234–240.
- 99 Yu P, Garrel R, Nicollas R, Ouaknine M, Giovanni A: Objective voice analysis in dysphonic patients: new data including nonlinear measurements. *Folia Phoniatr Logop* 2007;59:20–30.
- 100 Henrich N: Mirroring the voice from Garcia to the present day: some insights into singing voice registers. *Logoped Phoniatr Vocol* 2006;31:3–14.
- 101 Henrich N, Kiek M, Smith J, Wolfe J: Resonance strategies used in Bulgarian women's singing style: a pilot study. *Logoped Phoniatr Vocol* 2007;32:171–177.
- 102 Leahy MM, Dodd BJ, Walsh IP, Murphy K: Education for practice in the UK and Ireland: implementing problem-based learning. *Folia Phoniatr Logop* 2006;58:48–54.
- 103 Murphy PJ: Spectral noise estimation in the evaluation of pathological voice. *Logoped Phoniatr Vocol* 2006;31:182–189.
- 104 Tavano A, Fabbro F, Borgatti R: Language and social communication in children with cerebellar dysgenesis. *Folia Phoniatr Logop* 2007;59:201–209.
- 105 Hamdan JM, Amayreh MM: Consonant profile of Arabic-speaking school-age children in Jordan. *Folia Phoniatr Logop* 2007;59:55–64.
- 106 Pettersen V: Preliminary findings on the classical singer's use of the pectoralis major muscle. *Folia Phoniatr Logop* 2006;58:427–439.
- 107 Lind M: Prosodic contextualization of minimal responses to yes/no-questions in aphasic talk-in-interaction: a descriptive single-case study of a Norwegian aphasic speaker. *Logoped Phoniatr Vocol* 2007;32:9–16.
- 108 Helland WA, Heimann M: Assessment of pragmatic language impairment in children referred to psychiatric services: a pilot study of the Children's Communication Checklist in a Norwegian sample. *Logoped Phoniatr Vocol* 2007;32:23–30.
- 109 Sliwiska-Kowalska M, Niebudek-Bogusz E, Fiszer M, Los-Spychalska T, Kotylo P, Sznurowska-Przygocka B, Modrzejewska M: The prevalence and risk factors for occupational voice disorders in teachers. *Folia Phoniatr Logop* 2006;58:85–101.
- 110 Niebudek-Bogusz E, Fiszer M, Kotylo P, Sliwiska-Kowalska M: Diagnostic value of voice acoustic analysis in assessment of occupational voice pathologies in teachers. *Logoped Phoniatr Vocol* 2006;31:100–106.
- 111 Mendes AP, Brown WS, Sapienza C, Rothman HB: Effects of vocal training on respiratory kinematics during singing tasks. *Folia Phoniatr Logop* 2006;58:363–377.
- 112 Bladon KL, Ross E: Swallowing difficulties reported by adults infected with HIV/AIDS attending a hospital outpatient clinic in Gauteng, South Africa. *Folia Phoniatr Logop* 2007;59:39–52.

- 113 Aguilar-Mediavilla E, Serra-Raventos M: Phonological profile of Spanish-Catalan children with specific language impairment at age 4: are there any changes over time? *Folia Phoniatr Logop* 2006;58:400–414.
- 114 Söderpalm E: Education of speech-language pathologists around the world: the Scandinavian experience. *Folia Phoniatr Logop* 2006;58:59–63.
- 115 Ylitalo R: *Helicobacter pylori* infection and its correlation to extraesophageal and esophageal reflux in contact granuloma patients. *Logoped Phoniatr Vocol* 2006;31:57–60.
- 116 Schalling E, Hammarberg B, Hartelius L: Perceptual and acoustic analysis of speech in individuals with spinocerebellar ataxia (SCA). *Logoped Phoniatr Vocol* 2007;32:31–46.
- 117 Aronsson C, Bohman M, Ternström S, Södersten M: Loud voice during environmental noise exposure in patients with vocal nodules. *Logoped Phoniatr Vocol* 2007;32:60–70.
- 118 Lundeborg I, McAllister A: Treatment with a combination of intra-oral sensory stimulation and electropalatography in a child with severe developmental dyspraxia. *Logoped Phoniatr Vocol* 2007;32:71–79.
- 119 Chen SH: Sex differences in frequency and intensity in reading and voice range profiles for Taiwanese adult speakers. *Folia Phoniatr Logop* 2007;59:1–9.
- 120 Herbst C, Ternström S: A comparison of different methods to measure the EGG contact quotient. *Logoped Phoniatr Vocol* 2006;31:126–138.
- 121 Chernobelsky SI: The treatment and results of voice therapy amongst professional classical singers with vocal fold nodules. *Logoped Phoniatr Vocol* 2007;32:178–184.
- 122 Svancara P, Horacek J, Vokral J, Cerny L: Computational modelling of effect of tonsillectomy on voice production. *Logoped Phoniatr Vocol* 2006;31:117–125.
- 123 Horáček J, Laukkanen AM, Sidlof P: Estimation of impact stress using an aeroelastic model of voice production. *Logoped Phoniatr Vocol* 2007;32:185–192.
- 124 Topbas S: A Turkish perspective on communication disorders. *Logoped Phoniatr Vocol* 2006;31:76–88.
- 125 Titze IR: Editorial comments. *Logoped Phoniatr Vocol* 2007;32:146.