Introduction

This session highlighted some important collaborative efforts between endocrinologists and veterinarians. The presentations further underscore the fact that useful data may be accrued by such collaborations and will increase our knowledge in the future.

Christian de Bruin of Utrecht University, The Netherlands, described the clinical features of Cushing's disease in dogs and humans, demonstrating the remarkable similarity of the disease in both species. Subsequently, he described his work examining receptor expression for dopamine and somatostatin receptor subtypes 2 and 5 (sst₂ and sst₅) in the two species, also noting interesting differences. In particular, he discussed the facts that sst₂ receptors are highly expressed in canine adrenocorticotrophic hormone-producing adenomas and that Cushing's disease occurs more commonly in dogs than in humans. Thus, Dr. de Bruin considers canine corticotroph adenomas to be a potential model for human Cushing's disease.

The presentation by Hans Kooistra, also of Utrecht University, The Netherlands, described a number of different endocrinopathies in cats and dogs, including growth hormone abnormalities, diabetes mellitus, hyperaldosteronism, hypercortisolism, hypercalcemia and hypothyroidism. Dr. Kooistra concluded that companion animals with spontaneous endocrinopathies might serve as animal models for the corresponding diseases in humans.

Disclosure Statement

J.A.H.W. declares no conflict of interest.

John A.H. Wass
Department of Endocrinology
Oxford Centre for Diabetes, Endocrinology and
Metabolism
Churchill Hospital
Oxford, UK