Introduction

C. Kluft, Leiden

P.J. Koudstaal, Rotterdam

D.E. Grobbee, Rotterdam

This special issue on 'Vascular Factors in Dementia' is an initiative of 'The Dutch Study on Vascular Factors in Dementia', which was supported by a grant from the Netherlands Programme for Research on Ageing, NESTOR, funded by the Ministry of Education, Culture, and Sciences and the Ministry of Health, Welfare, and Sports and performed as a collaborative effort of epidemiologists, neurologists and cardiovascular researchers. The study was carried out on a cohort based on individuals from a population study (the Rotterdam Study) and patients from the Rotterdam Stroke Data Bank. Three Dutch centres were involved, notably the Department of Neurology, University Hospital Rotterdam-Dijkzigt (Prof. Dr. P.J. Koudstaal), the Department of Epidemiology and Biostatistics, Erasmus University Medical School, Rotterdam (Prof. Dr. D.E. Grobbee), and the Gaubius Laboratory, TNO-PG, (Prof. Dr. C. Kluft), Leiden.

The rationale and design of the study have been published [1] as well as the results and methods and the detailed characteristics of the populations [2–40]. This issue contains additional original results, but to avoid redundant publication and unnecessary repetitions it only refers (see reference list) to the other publications from the study. In addition, the issue contains invited overview papers to provide a further context on the topics of dementia, vascular factors, mechanisms and applied methodology.

All together, with the published papers, the new results and the invited papers in this issue, we hope to provide a useful and up-to-date context as well as an overview of our results on vascular involvement in dementia.

We greatly appreciate the efforts of Dr. F. Haverkate who acted as a guest editor for this special issue.

KARGER

Fax + 41 61 306 12 34

E-Mail karger@karger.ch
www.karger.com

© 1999 S. Karger AG, Basel
0301-0147/98/0284-0114\$17.50/0

Accessible online at:
<http://BioMedNet.com/karger>

References

- 1 Van Kooten F, Bots ML, Breteler MMB, Haverkate F, Van Swieten JC, Grobbee DE, Koudstaal PJ, Kluit C: The Dutch Vascular Factors in Dementia Study: Rationale and design. *J Neurol* 1998;245:32–39.
- 2 De Koning I, Van Kooten F, Dippel DWJ, Van Harskamp F, Grobbee DE, Kluit C, Koudstaal PJ: The CAMCOG: A useful screening instrument for dementia in stroke patients. *Stroke* 1998;29:2080–2086.
- 3 Hofman A, Ott A, Breteler MMB, Bots ML, Slieter AJC, Van Harskamp F, Van Duijn CN, Van Broeckhoven C, Grobbee DE: Atherosclerosis, apolipoprotein E, and prevalence of dementia and Alzheimer's disease in the Rotterdam Study. *Lancet* 1997;349:151–154.
- 4 Bots ML, Hoes AW, Koudstaal PJ, Hofman A, Grobbee DE: Common carotid intima-media thickness and risk of stroke and myocardial infarction. The Rotterdam Study. *Circulation* 1997;96:1432–1437.
- 5 Van Kooten F, Maasland L, Dippel DWJ, Kluit C, Grobbee DE, Koudstaal PJ: CT-scan abnormalities in relation to dementia in patients with stroke. (abstract). *Cerebrovasc. Dis* 1997;7(suppl 4):42.
- 6 Van Kooten F, Ciabattini G, Dippel DWJ, Kluit C, Grobbee DE, Patrono C, Koudstaal PJ: Increased platelet activation is associated with dementia in patients with stroke. (abstract). *Cerebrovasc Dis* 1997;7(suppl 4):46.
- 7 De Koning I, Van Kooten F, Dippel DWJ, Van Harskamp F, Grobbee DE, Kluit C, Koudstaal PJ: The diagnostic accuracy of the CAMCOG in stroke patients aged 55 and over. *Cerebrovasc Dis* 1997;7(suppl 4):48.
- 8 Van Kooten F, Ciabattini G, Patrono C, Dippel DWJ, Koudstaal PJ: Platelet activation and lipid peroxidation in patients with acute ischemic stroke. *Stroke* 1997;28:1557–1563.
- 9 Van Kooten F, De Koning I, Van Swieten JC, Van Harskamp F, Koudstaal PJ: Prevalence of dementia in the Rotterdam Stroke Data-bank (abstract). *Cerebrovasc Dis* 1996;6(suppl 2):67.
- 10 Van Kooten F, Van Krimpen J, Dippel DWJ, Hoogerbrugge N, Koudstaal PJ: Lipoprotein (a) in patients with acute cerebral ischemia. *Stroke* 1996;27:1231–1235.
- 11 Slagboom PE, Kluit C: Genetic studies of complex diseases: Giant steps from premise to proof. *Fibrinolysis* 1996;10 suppl 2:1–2.
- 12 Droog S, Lakenberg N, Meulenbelt I, De Maat MPM, Huisman LGM, Jie AFH, Slagboom PE: Isolation and storage of DNA for population studies. *Fibrinolysis* 1996;10(suppl 2):29–30.
- 13 Gram J, Jespersen J, Kluit C, Declercq P: Various approaches to standardization and the importance of measurement accuracy. *Fibrinolysis* 1996;10(suppl 2):113–116.
- 14 Meijer P, Van Der Ham F, Kluit C: The use of stabilite plasma may cause changes in pH in the assay of some fibrinolysis analytes and might effect results. *Fibrinolysis* 1996;10(suppl 2):155–157.
- 15 Bots ML, Van Der Bom JG, Haverkate F, Meijer P, Hofman A, Grobbee DE, Kluit C: Activated protein C response and cardiovascular risk factors in the elderly – The Rotterdam Study. *Fibrinolysis* 1996;10(suppl 2):161–164.
- 16 Kluit C, Meijer P: Update 1996: Blood collection and handling procedures for assessment of plasminogen activators and inhibitors (Leiden Fibrinolysis Workshop). *Fibrinolysis* 1996;10(suppl 2):171–179.
- 17 Bots ML, Hofman A, De Jong PTVM, Grobbee DE: Common carotid intima-media thickness as an indicator of atherosclerosis at other sites of the carotid artery. The Rotterdam Study. *Ann Epidemiol* 1996;6:147–153.
- 18 Bots ML, Witteman JCM, Hofman A, De Jong PTVM, Grobbee DE: Low diastolic blood pressure and atherosclerosis in the elderly. The Rotterdam Study. *Arch Intern Med* 1996;156:843–848.
- 19 Van Der Bom JG, Bots ML, Haverkate F, Slagboom PE, Meijer P, De Jong PTVM, Hofman A, Grobbee DE, Kluit C: Reduced response to activated protein C is associated with risk of stroke and transient ischemic attack. *Ann Intern Med.* 1996;125:265–269.
- 20 Bots ML, Looman SJ, Koudstaal PJ, Hofman A, Hoes AW, Grobbee DE: Prevalence of stroke in the general population. The Rotterdam Study. *Stroke* 1996;27:1499–1501.
- 21 Bots ML, Hofman A, Grobbee DE: Common carotid intima-media thickness and cardiovascular disease in the Rotterdam Study. A cross-sectional analysis; in Koenig W, Hombach V, Bond MG, Krams DM (eds): *Progression and Regression of Atherosclerosis*. Vienna, Blackwell, 1995, pp 118–123.
- 22 Vingerling J, Dielemans I, Bots ML, Hofman A, Grobbee DE, De Jong PTVM: Age-related macular degeneration is associated with atherosclerosis. The Rotterdam Study. *Am J Epidemiol* 1995;142:404–409.
- 23 Kluit C, Grobbee DE, Koudstaal PJ: Dutch vascular dementia study: Objectives, design, first data. III. *Eur Congr Gerontology*, 1995, Amsterdam.
- 24 Breteler MMB, Claus JJ, Grobbee DE, Hofman A: Cardiovascular disease and distribution of cognitive function in elderly people: The Rotterdam Study. *BMJ* 1994;308:1604–1608.
- 25 Breteler MMB, Van Amerongen NM, Van Swieten JC, Claus JJ, Grobbee DE, Van Gijn J, Hofman A, Van Harskamp F: Cognitive correlates of ventricular enlargement and cerebral white matter lesions on magnetic resonance imaging. The Rotterdam Study. *Stroke* 1994;25:1109–1115.
- 26 Bots ML, Mulder PGH, Hofman A, Van Es GS, Grobbee DE: Reproducibility of carotid vessel wall thickness measurements. The Rotterdam Study. *J Clin Epidemiol* 1994;47:921–930.

- 27 Breteler MMB, Van Swieten JC, Bots ML, Grobbee DE, Claus JJ, Van Den Hout JHW, Van Harskamp F, Tanghe HLJ, De Jong PTVM, Van Gijn J, Hofman A: Cerebral white matter lesions, vascular risk factors, and cognitive function in a population-based study; The Rotterdam Study. *Neurology* 1994; 44:1246–1252.
- 28 Van Kooten F, Ciabattini G, Patrono C, Schmitz PIM, Van Gijn J, Koudstaal PJ: Evidence for episodic platelet activation in acute ischemic stroke. *Stroke* 1994;25:278–281.
- 29 Meijer P, Kamerling SWA, Van Der Ham FJ, Kret R, Kluft C, Kraus J, Wagner C: Baseline levels of α_2 -antiplasmin-plasmin complex in human plasma. *Fibrinolysis* 1994;8(suppl 2):124–125.
- 30 Meijer P, Kret R, Bloetjes PTM, Rosen S, Kluft C: New aspects of blood collection and handling procedures for the assessment of t-PA and PAI-1 variables after the introduction of acid blood collection. *Fibrinolysis* 1994;8(suppl 2):145–147.
- 31 Meijer P, Pollet DE, Wauters J, Kluft C: Specificity of antigen assays of plasminogen activator inhibitor in plasma: Innatest PAI-1 Immunoassay evaluated. *Clin Chem* 1994; 40:110–115.
- 32 De Knijff P, Green F, Johansen LG, Grootendorst D, Temple A, Cruickshank JK, Humphries SE, Jespersen J, Kluft C: New alleles in F7 VNTR. *Hum Mol Genet* 1994;3:384.
- 33 Van Der Bom JG, Bots ML, De Bruyn AM, Hofman A, Grobbee DE: Measurement of β -thromboglobulin in the elderly. Findings from the Rotterdam Study. *Fibrinolysis* 1994;8(suppl 2):157–159.
- 34 Grobbee DE, Bots ML: Carotid artery intima-media thickness as an indicator of generalized atherosclerosis. *J Intern Med* 1994;236:567–573.
- 35 Van Kooten F, Bots ML, Van Swieten JC, Breteler MMB, De Koning I, Van Harskamp F, De Knijff P, Kluft C, Grobbee DE, Koudstaal PJ: Dutch Vascular Dementia Study; Doelstellingen en studie-opzet; in Ten Cate JW, et al (eds): *Trombose, Atherosclerose en Ontsteking, Diagnostiek, Preventie en Behandeling* Anno 1994. Leiden, De Bink, 1994, pp 207–209.
- 36 Van Kooten F, Van Swieten JC, Koudstaal PJ: Dutch Vascular Dementia Study. Objectives and design (abstract 24). *Cerebrovasc Dis* 1994; 4:225.
- 37 Bots ML, Van Swieten JC, Breteler MMB, De Jong PTVM, Van Gijn J, Hofman A, Grobbee DE: Cerebral white matter lesions and atherosclerosis in the Rotterdam Study. *Lancet* 1993;341:1232–1237.
- 38 Bots ML, Hofman A, De Bruyn AM, De Jong PTVM, Grobbee DE: Isolated systolic hypertension and vessel wall thickness of the carotid artery: The Rotterdam Elderly Study. *Arterioscler Thromb* 1993;13:64–69.
- 39 Bots ML, Witteman JCM, Grobbee DE: Carotid intima-media thickness in elderly women with and without atherosclerosis of abdominal aorta. *Atherosclerosis* 1993;102:99–105.
- 40 Van Kooten F, Hoogerbrugge N, Naarding P, Koudstaal PJ: Hyperglycemia in the acute Phase of stroke is not caused by stress. *Stroke* 1993; 24:1129–1132.