Literaturverzeichnis

1. Krpe, M.: Blutgruppenspezifische pflanzliche Eiweiskörper (Phytoagglutinine) (Enke, Stuttgart 1956).
2. Ottensooser, F. und Silberschmidt, K.: Hemagglutinin anti-N in plant seeds. Atti 6. Congr. int. Microbiol., Roma 1953, vol. 2, Sez. VI-VII, pp. 313-314; Nature, Lond. 172: 914-915 (1953).
3. Renkonen, K. O.: Studies on the nature of hemagglutinins present in seeds. Ann. Med. exp. Fenn. 28: 45-51 (1950).
4. Rigas, D. A. und Osgood, E. E.: Purification and properties of the phytohemagglutinin of *Phaseolus vulgaris*. J. biol. Chem. 212: 607-615 (1955).
5. Saint-Paul, M.; Daoulas-Le Bourdelles, F. et Fine, J. M.: Contribution à l'étude biochimique de l'hmagglutinine de *Phaseolus vulgaris*. C. R. Soc. Biol. 150: 1742-1744 (1956).

154

Presence of Properdin in a Fraction I Preparation

R. Conte Marotta, E. Romano, I. di Tommano and S. Jorio
Naples, Italy

Abstract

The properdin and antihemophilic activities have been determined for a Fraction I preparation obtained by slightly changing the precipitation conditions described by Cohn in his method 6. In particular, the pH was carefully kept at 6.8-6.9.