Introduction

Wah Kit Lam, *Symposium Chairperson*

Division of Respiratory and Critical Care Medicine, University of Hong Kong,
Queen Mary Hospital, Hong Kong, China

‘Advanced Strategies for Evaluation and Medical Management of Lower Respiratory Tract Infections’ was held as part of the 7th Western Pacific Congress of Chemotherapy and Infectious Diseases, Hong Kong. This meeting was planned as an in-depth look at real cases and strategies for the diagnosis and treatment of respiratory infections, with the aim of providing a practical and useful session for physicians. The need for such a symposium is highlighted by the fact that lower respiratory tract infections (LRTIs) account for a huge percentage of medical visits to physicians, and are associated with a significant cost burden upon all health services. It is well known that LRTIs are a major cause of morbidity and mortality, particularly in the elderly and high-risk patients. In fact, in Hong Kong, they are the fourth most common cause of death after cancer, cardiovascular problems, and cerebrovascular disease, and in the United States, are the sixth leading cause of mortality.

Among LRTIs, two of the most important diseases requiring optimal management strategies are community-acquired pneumonia

(CAP) and acute exacerbations of chronic bronchitis (AECB). CAP is extremely common worldwide, with a mortality of up to 15% among those patients requiring admission to hospital. Unfortunately, there has been no significant improvement in this mortality rate over the years, and physicians face a number of challenges to redress this problem. Included among these is the need to ensure that the correct diagnosis is made. While this may seem self-evident, it is important to remind physicians to think of all causes of respiratory disorders, not only infectious ones, and when assessing a patient presenting for the first time, to think of the differential diagnosis. Once the diagnosis is decided upon, it is important to initiate therapy as soon as possible, as it has been shown that rapid initiation of appropriate therapy does help improve outcome. In addition, physicians need to be fully aware of the local susceptibility patterns to ensure that they prescribe therapy that will cover the most likely pathogens. This includes a knowledge of local resistance patterns so that the most effective agents can be prescribed in a judicious manner that will aid in

KARGER

Fax +41 61 306 12 34
E-Mail karger@karger.ch
www.karger.com

© 2001 S. Karger AG, Basel
0009–3157/01/4710–0001\$17.50/0

Accessible online at:
www.karger.com/journals/che

Wah Kit Lam, MD

Professor and Chief of Division of Respiratory & Critical Care Medicine
Chairman of Department of Medicine, University of Hong Kong
Queen Mary Hospital, Pokfulam Road, Hong Kong (China)
Tel. +852 2855 4334, Fax +852 2855 1143, E-Mail lamwk@hkucc.hku.hk

stopping the development and spread of further resistance. AECB or chronic obstructive pulmonary disease (COPD) is also common, accounting for 4% of all public hospital admissions in Hong Kong. These are a particular problem for elderly patients, or those with comorbidity that makes them more prone to succumbing to infection.

Over the past several years, the understanding of the epidemiology and pathophysiology of these two disorders has increased significantly. Associated with this has been an increase in the awareness of the spectrum of bacterial isolates causing CAP and AECB, with greater understanding of how resistance develops. In conjunction with this, there has also been ongoing development of new antibiotics, many of which have entered the marketplace aimed at effectively treating these infections.

This symposium was aimed at helping physicians improve their strategies for managing both of these common RTIs. The first session focused on the problem of CAP, whereas the second session looked at AECB. To discuss these topics in detail, a panel of distinguished speakers was brought together to present expert opinion on the diagnosis and optimal management of CAP and AECB, with particular emphasis on difficult and high-risk patients. Clinical cases were presented and discussed, with the symposium providing a relaxed and informative forum for the exchange of ideas among opinion leaders and practitioners from different parts of the world.

Chapter I provides a clear rationale for the optimal management of CAP. Professor Mi-

chael J. Fine provided an in-depth look at solutions for difficult diagnostic cases of CAP. Drawing upon his experience with the Pneumonia Patient Outcomes Research Team (PORT) study and as a member of the American Thoracic Society Committee that developed guidelines for CAP, Dr. Fine presented invaluable information upon which all physicians can build their own preferred management strategies. Professor Thomas M. File Jr. turned to the difficult issue of what to do when a patient fails conventional treatment, and Professor Claude Carbon completed the session by looking at optimal management of high-risk patients with CAP.

In Chapter II the focus turned to AECB, where again a very practical and clear strategy for managing AECB, in particular difficult diagnostic cases, was provided by Associate Professor Kenneth W.T. Tsang. This was followed by a look at the management of clinical failures of non-ICU patients by Professor Michael P. Habib. Rounding out the session was a presentation on the best management practices for AECB in high-risk patients given by Professor S. Ragnar Norrby.

Taken as a whole, this symposium allowed the participants an excellent opportunity to increase their appreciation of the optimal management of patients with the two most commonly encountered RTIs, CAP and AECB. It is sure to be of lasting benefit in helping to provide a framework upon which all future strategies can be placed. All readers who take this opportunity to familiarise themselves with the views of these international experts will enrich both themselves and ultimately, their patients.