Early-Life Contributors to Child Well-Being

Guest Editors

Carlos Lifschitz, Buenos Aires

Weili Lin, Chapel Hill, NC

Editorial Board

Jatinder Bhatia, Augusta, GA

Carlos Lifschitz, Buenos Aires

Weili Lin, Chapel Hill, NC

Andrew Prentice, Banjul/London

Frank M. Ruemmele, Paris

Hania Szajewska, Warsaw

Sponsor Note

This publication was supported by an unrestricted educational grant by the Nestlé Nutrition Institute. The institute is a not-for-profit association which was created to provide latest medical and scientific information to health professionals in the field of pediatric and adult nutrition and nutrition-related disorders (available at www.nestlenutrition-institute.org).

Any liability of the sponsors for the content of the papers is hereby expressly excluded.

Disclosure Statement Guest Editors

C.L. is a member of the Faculty Board of the Nestlé Nutrition Institute and has received honoraria from Danone, Mead Johnson Nutrition, and the Nestlé Nutrition Institute.

W.L. has an ongoing research grant funded by Nestec Inc, serves as a consultant for Nestlé Nutrition, Wyeth Nutrition, and Mead Johnson Nutrition, is a member of the Scientific Advisory Committee, NNI, and has received travel support from Wyeth Nutrition Science Center.

S. Karger
Medical and Scientific Publishers
Basel · Freiburg · Hartford · Oxford ·
Bangkok · Dubai · Kuala Lumpur ·
Melbourne · Mexico City · Moscow ·
New Delhi · Paris · Shanghai · Tokyo

Disclaimer
S. Karger AG cannot be held responsible for errors or omissions, or for any consequences arising from the use of the information contained herein.

Drug Dosage
The authors and the publisher have exerted every effort to ensure that drug selection and dosage set forth in this text are in accord with current recommendations and practice at the time of publication. However, in view of ongoing research, changes in government regulations, and the constant flow of information relating to drug therapy and drug reactions, the reader is urged to check the package insert for each drug for any change in indications and dosage and for added warnings and precautions. This is particularly important when the recommended agent is a new and/or infrequently employed drug.

All rights reserved.
No part of this publication may be translated into other languages, reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, recording, microcopying, or by any information storage and retrieval system, without permission in writing from the publisher.

© Copyright 2019 by S. Karger AG
P.O. Box, CH-4009 Basel (Switzerland)
e-ISBN 978-3-318-06524-4

KARGER

E-Mail karger@karger.com
www.karger.com/anm

Contents

DOI: 10.1159/000499152

**Early-Life Contributors to Child Well-Being –
Infographic – Poster**

available as online supplementary material at:
<http://www.karger.com/Journal/Issue/278321>

5 Editorial

Lifschitz, C. (Buenos Aires); Lin, W. (Chapel Hill, NC)

Early-Life Contributors to Child Well-Being

8 Determinants of Well-Being and Their Implications for Health Care

Helliwell, J.F. (Vancouver, BC)

16 Microbiota and Neurodevelopmental Trajectories: Role of Maternal and Early-Life Nutrition

Codagnone, M.G. (Cork); Stanton, C. (Cork/Fermoy); O'Mahony, S.M., Dinan, T.G., Cryan, J.F. (Cork)

29 Feeding Practices and Parenting: A Pathway to Child Health and Family Happiness

Daniels, L.A. (Brisbane, QLD)

44 The Contribution of Food Consumption to Well-Being

Holder, M.D. (Kelowna, BC)