

CardioRenal Medicine

Founded 2011 by J.R. Sowers

Editor

J.R. Sowers, Columbia, Mo.

Assistant Editor

B. Hunter, Columbia, Mo.

Associate Editors

S. Brietzke, Columbia, Mo.
M. Bursztyn, Jerusalem
K.C. Dellsperger, Augusta, Ga.
V. DeMarco, Columbia, Mo.
J.P. Dwyer, Nashville, Tenn.
K.C. Ferdinand, New Orleans, La.
J.M. Flack, Springfield, Ill.
E.P. Gomez-Sanchez, Jackson, Miss.

M.R. Hayden, Camdenton, Mo.
E.J. Henriksen, Tucson, Ariz.
K. Kalantar-Zadeh, Orange, Calif.
W. Lockette, Columbia, Mo.
J.M. Luther, Nashville, Tenn.
F. Murad, Washington, D.C.
C. Ronco, Vicenza
N. Stern, Tel Aviv
C.S. Stump, Tucson, Ariz.
A.T. Whaley-Connell, Columbia, Mo.

Editorial Board

M.A. Alpert, Columbia, Mo.
G.L. Bakris, Chicago, Ill.
M. Barbagallo, Palermo
T. Berl, Aurora, Colo.
S.L. Britton, Ann Arbor, Mich.
R.D. Brook, Ann Arbor, Mich.
N.J. Brown, Nashville, Tenn.
V.M. Campese, Los Angeles, Calif.
A.R. Chacra, Sao Paulo
K. Chaudhary, Columbia, Mo.
M. Cooper, Melbourne, Vic.
C.F. Deacon, Copenhagen
P. Deedwania, Fresno, Calif.
L. Dominguez, Palermo
M. Epstein, Miami, Fla.

E. Fabbrini, St. Louis, Mo.
B. Falkner, Philadelphia, Pa.
E.D. Frohlich, New Orleans, La.
J. Funder, Wandin East, Vic.
W.T. Garvey, Birmingham, Ala.
F. Giorgino, Bari
D. Goldsmith, London
C.E. Gomez-Sanchez, Jackson, Miss.
I.M. Grais, Lincolnwood, Ill.
J.E. Hall, Jackson, Miss.
J.M. Hershman, Los Angeles, Calif.
S. Ito, Sendai
F. Jaissner, Paris
G. Jia, Columbia, Mo.
C.T. Kappagoda, Davis, Calif.

Affiliated with



CARDIO RENAL
SOCIETY OF AMERICA

Kris Vijay, CRSA President

(Continued Editorial Board)

S. Klein, St. Louis, Mo.
T. Klein, Biberach
D.T. Lackland, Charleston, S.C.
S.G. Lakoski, Colchester, Vt.
G. Lastra, Columbia, Mo.
P.S. Leung, Hong Kong
M. Levi, Aurora, Colo.
N.S. Litofsky, Columbia, Mo.
D.B. Lombard, Ann Arbor, Mich.
F.C. Luft, Berlin
C. Manrique, Columbia, Mo.
L.A. Martinez-Lemus, Columbia, Mo.
R.W. McCallum, El Paso, Tex.
S.I. McFarlane, Brooklyn, N.Y.
R. Muniyappa, Bethesda, Md.
S.B. Nicholas, Los Angeles, Calif.
P.M. Nilsson, Malmö
R. Nistala, Columbia, Mo.
J. Padilla, Columbia, Mo.
D.K. Pandey, Chicago, Ill.
L. Peterson, St. Louis, Mo.
R.A. Phillips, Houston, Tex.
D. Porte, Jr., La Jolla, Calif.
W. Rainey, Ann Arbor, Mich.
M.K. Raizada, Gainesville, Fla.
A. Rathod, Los Angeles, Calif.
R.S. Rector, Columbia, Mo.
J. Ren, Laramie, Wyo.
T. Rosenthal, Tel Aviv
L.M. Ruilope, Madrid
W.K. Samson, St. Louis, Mo.
K.R. Short, Oklahoma City, Okla.
B. Terry, Columbia, Mo.
J. Thyfault, Columbia, Mo.
R.M. Touyz, Glasgow
E.M. Urbina, Cincinnati, Ohio
J. Varagic, Winston-Salem, N.C.
J.A. Vassalotti, New York, N.Y.
M. Velasco, Los Teques
K. Vijay, Scottsdale, Ariz.
D. Villarreal, Syracuse, N.Y.
R.C. Webb, Augusta, Ga.
M.R. Weir, Baltimore, Md.
R. Zimlichman, Tel Aviv
R.P. Zitsch III, Columbia, Mo.
M.-H. Zou, Oklahoma City, Okla.

No. 1

Original Papers

- 1 β_2 -Microglobulin and TIMP1 Are Linked Together in Cardiorenal Remodeling and Failure**
Vianello, A.; Caponi, L.; Galetta, F.; Franzoni, F.; Taddei, M.; Rossi, M.; Pietrini, P.; Santoro, G. (Pisa)
- 12 Clinical Prediction Scores for Type 1 Cardiorenal Syndrome Derived and Validated in Chinese Cohorts**
Cheng, H.; Chen, Y. (Beijing)
- 20 Cardiac, Inflammatory and Metabolic Parameters: Hemodialysis versus Peritoneal Dialysis**
Lai, S.; Molino, A.; Russo, G.E.; Testorio, M.; Galani, A.; Innico, G.; Frassetto, N.; Pistolesi, V.; Morabito, S.; Rossi Fanelli, F. (Rome)
- 31 The Importance of Contrast Volume/Glomerular Filtration Rate Ratio in Contrast-Induced Nephropathy Patients after Transcatheter Aortic Valve Implantation**
Gul, I.; Zungur, M.; Tastan, A.; Okur, F.F.; Damar, E.; Uyar, S.; Sahin, V.; Tavli, T. (Izmir)
- 40 One-Year Survival and Renal Function Recovery of Acute Kidney Injury Patients with Chronic Heart Failure**
Zhang, W.; Wen, D.; Zou, Y.-F.; Shen, P.-Y.; Xu, Y.-W.; Shi, H.; Xu, J.; Chen, X.; Chen, N. (Shanghai)
- 61 Contrast Volume/Raw eGFR Ratio for Predicting Contrast-Induced Acute Kidney Injury in Patients Undergoing Percutaneous Coronary Intervention for Myocardial Infarction**
Park, H.S.; Kim, C.J.; Yi, J.-E.; Hwang, B.-H.; Kim, T.-H.; Koh, Y.S.; Park, H.-J.; Her, S.-H.; Jang, S.W.; Park, C.-S.; Lee, J.M.; Kim, H.Y.; Jeon, D.S.; Kim, P.-J.; Yoo, K.-D.; Chang, K.; Jin, D.C.; Seung, K.-B. (Seoul)
- 69 Neuronal Nitric Oxide Synthase-Dependent Amelioration of Diastolic Dysfunction in Rats with Chronic Renocardiac Syndrome**
Bongartz, L.G.; Soni, S.; Cramer, M.-J. (Utrecht); Steendijk, P. (Leiden); Gaillard, C.A.J.M. (Groningen); Verhaar, M.C.; Doevendans, P.A.; van Veen, T.A.; Joles, J.A. (Utrecht); Braam, B. (Edmonton, Alta.)

Review

- 48 Kidney Dysfunction and Left Ventricular Assist Device Support: A Comprehensive Perioperative Review**
Coffin, S.T.; Waguespack, D.R.; Haglund, N.A.; Maltais, S.; Dwyer, J.P.; Keebler, M.E. (Nashville, Tenn.)

No. 2

Original Papers

- 79 Hyperphosphate-Induced Myocardial Hypertrophy through the GATA-4/NFAT-3 Signaling Pathway Is Attenuated by ERK Inhibitor Treatment**
Liu, Y.-L.; Huang, C.-C.; Chang, C.-C.; Chou, C.-Y.; Lin, S.-Y.; Wang, I.-K.; Hsieh, D.J.-Y.; Jong, G.-P.; Huang, C.-Y.; Wang, C.-M. (Taichung)

- 89 High Levels of Soluble Tumor Necrosis Factor Receptors 1 and 2 and Their Association with Mortality in Patients Undergoing Hemodialysis**

Carlsson, A.C. (Huddinge/Uppsala); Carrero, J.-J.; Stenvinkel, P.; Bottai, M.; Barany, P. (Stockholm); Larsson, A. (Uppsala); Årnlöv, J. (Uppsala/Falun)

- 96 Association between Platelet-to-Lymphocyte Ratio and Contrast-Induced Nephropathy in Patients Undergoing Percutaneous Coronary Intervention for Acute Coronary Syndrome**

Demircelik, M.B.; Kurtul, A.; Ocek, H.; Cakmak, M. (Ankara); Ureyen, C. (Antalya); Eryonucu, B. (Ankara)

- 105 Cardiorenal Syndrome Type 1: A Defective Regulation of Monocyte Apoptosis Induced by Proinflammatory and Proapoptotic Factors**

Pastori, S. (Vicenza/Padua); Virzi, G.M. (Vicenza); Brocca, A. (Vicenza/Padua); de Cal, M. (Vicenza); Clementi, A. (Vicenza/Agrigento); Vescovo, G.; Ronco, C. (Vicenza)

- 116 Effect of Contrast-Induced Nephropathy on the Long-Term Outcome of Patients with Non-ST Segment Elevation Myocardial Infarction**

Turan, B.; Erkol, A. (Kocaeli); Gül, M.; Findikçioğlu, U. (Istanbul); Erden, İ. (Kocaeli)

- 125 Direct Evidence of Podocyte Damage in Cardiorenal Syndrome Type 2: Preliminary Evidence**

Le Jemtel, T.H.; Rajapreyar, I. (New Orleans, La.); Selby, M.G. (Rochester, Minn.); Payne, B. (New Orleans, La.); Barnidge, D.R. (Rochester, Minn.); Milic, N. (Rochester, Minn./Belgrade); Garovic, V.D. (Rochester, Minn.)

- 135 Alteration of Cardiovascular Structure and Function in Patients Undergoing Peritoneal Dialysis**

Rebić, D.R.; Rašić, S.R.; Dervišević, M.D.; Hamzić-Mehmedbašić, A.H.M.; Muslimović, A.M.; Hasanagić, E.H. (Sarajevo)

No. 3

Reviews

- 175 Hyperuricemia: A Biomarker of Renal Hemodynamic Impairment**

Susic, D.; Frohlich, E.D. (New Orleans, La.)

- 219 Contrast Medium-Induced Acute Kidney Injury**

Sadat, U.; Usman, A.; Boyle, J.R.; Hayes, P.D. (Cambridge); Solomon, R.J. (Burlington, Vt.)

Original Papers

- 157 Long-Term Risk of Progressive Chronic Kidney Disease in Patients with Severe Acute Kidney Injury Requiring Dialysis after Coronary Artery Bypass Surgery**

Lim, C.C.; Tan, C.S.; Chia, C.M.L.; Tan, A.K.; Choo, J.C.J.; Kaushik, M.; Tan, H.K. (Singapore)

- 164 The Relationship between Serum Oxalic Acid, Central Hemodynamic Parameters and Colonization by *Oxalobacter formigenes* in Hemodialysis Patients**

Gulhan, B. (Erzincan); Turkmen, K. (Konya); Aydin, M.; Gunay, M.; Cıkman, A.; Kara, M. (Erzincan)

- 183 Ambulatory Blood Pressure Monitoring in Lean, Obese and Diabetic Children and Adolescents**
Shikha, D. (Brooklyn, N.Y.); Singla, M. (New York, N.Y.); Walia, R.; Potter, N.; Umpaichitra, V.; Mercado, A.; Winer, N. (Brooklyn, N.Y.)
- 191 Admission Glucose Levels and the Risk of Acute Kidney Injury in Nondiabetic ST Segment Elevation Myocardial Infarction Patients Undergoing Primary Percutaneous Coronary Intervention**
Shacham, Y.; Gal-Oz, A.; Leshem-Rubinow, E.; Arbel, Y.; Keren, G.; Roth, A.; Steinvil, A. (Tel Aviv)
- 199 Comparison of Carvedilol and Metoprolol for Preventing Contrast-Induced Nephropathy after Coronary Angiography**
Yilmaz, M.; Aydinalp, A.; Okyay, K.; Tekin, A.; Bal, U.A.; Bayraktar, N.; Yildirim, A.; Muederrisoğlu, H. (Ankara)
- 208 Arrhythmogenic Remodeling in Murine Models of Deoxycorticosterone Acetate-Salt-Induced and 5/6-Subtotal Nephrectomy-Salt-Induced Cardiorenal Disease**
Fontes, M.S.C.; Papazova, D.A.; van Koppen, A.; de Jong, S.; Korte, S.M.; Bongartz, L.G.; Nguyen, T.Q.; Bierhuizen, M.F.A.; de Boer, T.P.; van Veen, T.A.B.; Verhaar, M.C.; Joles, J.A.; van Rijen, H.V.M. (Utrecht)
- 229 Evidence of Mild Liver Dysfunction Identifies Stable Heart Failure Outpatients with Reversible Renal Dysfunction**
Brisco, M.A. (Charleston, S.C.); Cheng, S.J.; Laur, O.; Kula, A.J.; Testani, J.M. (New Haven, Conn.)

No. 4

Original Papers

- 237 Influence of Chronic Kidney Disease on Physical Function and Quality of Life in Patients after Coronary Artery Bypass Grafting**
Kuo, Y.-T. (Taipei/New Taipei City); Chiu, K.-M.; Tsang, Y.-M.; Chiu, C.-M. (New Taipei City); Chien, M.-Y. (Taipei)
- 246 Target Hemoglobin May Be Achieved with Intravenous Iron Alone in Anemic Patients with Cardiorenal Syndrome: An Observational Study**
Ben-Assa, E.; Shacham, Y.; Shashar, M.; Leshem-Rubinow, E.; Gal-Oz, A.; Schwartz, I.F.; Schwartz, D.; Silverberg, D.S.; Chernin, G. (Tel-Aviv)

- 267 Usefulness of an Upright T-Wave in Lead aVR for Predicting the Short-Term Prognosis of Incident Hemodialysis Patients: A Potential Tool for Screening High-Risk Hemodialysis Patients**
Matsukane, A.; Hayashi, T.; Tanaka, Y.; Iwasaki, M.; Kubo, S.; Asakawa, T.; Takahashi, Y.; Imamura, Y.; Hirahata, K.; Joki, N.; Hase, H. (Tokyo)
- 278 Soluble Tumor Necrosis Factor Receptor 1 Is Associated with Glomerular Filtration Rate Progression and Incidence of Chronic Kidney Disease in Two Community-Based Cohorts of Elderly Individuals**
Carlsson, A.C. (Huddinge/Uppsala); Nordquist, L. (Uppsala); Larsson, T.E.; Carrero, J.-J. (Stockholm); Larsson, A.; Lind, L. (Uppsala); Årnlöv, J. (Uppsala/Falun)
- 289 Comparison between Cystatin C- and Creatinine-Estimated Glomerular Filtration Rate in Cardiology Patients**
Åkerblom, A. (Uppsala/Durham, N.C.); Helmersson-Karlqvist, J.; Flodin, M.; Larsson, A. (Uppsala)
- 297 Clinical SYNTAX Score Can Predict Acute Kidney Injury following On-Pump but Not Off-Pump Coronary Artery Bypass Surgery**
Gursoy, M.; Hokenek, A.F.; Duygu, E. (Istanbul); Atay, M. (Karaman); Yavuz, A. (Istanbul)
- 306 Cardiorenal Syndrome Type 1: Activation of Dual Apoptotic Pathways**
Pastori, S. (Vicenza/Padua); Virzi, G.M. (Vicenza); Brocca, A. (Vicenza/Padua); de Cal, M. (Vicenza); Cantaluppi, V. (Torino); Castellani, C.; Fedrigo, M.; Thiene, G.; Valente, M.L.; Angelini, A. (Padua); Vescovo, G. (Vicenza/Padua); Ronco, C. (Vicenza)

Review

- 254 Left Ventricular Hypertrophy in Chronic Kidney Disease Patients: From Pathophysiology to Treatment**
Di Lullo, L.; Gorini, A. (Colleferro); Russo, D. (Naples); Santoboni, A. (Colleferro); Ronco, C. (Vicenza)
- 316 Acknowledgement to Reviewers**

S. Karger
Medical and Scientific Publishers
Basel • Freiburg • Paris • London •
New York • Chennai • New Delhi •
Bangkok • Beijing • Shanghai • Tokyo •
Kuala Lumpur • Singapore • Sydney

Disclaimer

The statements, opinions and data contained in this publication are solely those of the individual authors and contributors and not of the publisher and the editor(s). The appearance of advertisements in the journal is not a warranty, endorsement, or approval of the products or services advertised or of their effectiveness, quality or safety. The publisher and the editor(s) disclaim responsibility for any injury to persons or property resulting from any ideas, methods, instructions or products referred to in the content or advertisements.

Drug Dosage

The authors and the publisher have exerted every effort to ensure that drug selection and dosage set forth in this text are in accord with current recommendations and practice at the time of publication. However, in view of ongoing research, changes in government regulations, and the constant flow of information relating to drug therapy and drug reactions, the reader is urged to check the package insert for each drug for any change in indications and dosage and for added warnings and precautions. This is particularly important when the recommended agent is a new and/or infrequently employed drug.

All rights reserved.

No part of this publication may be translated into other languages, reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, recording, microcopying, or by any information storage and retrieval system, without permission in writing from the publisher or, in the case of photocopying, direct payment of a specified fee to the Copyright Clearance Center (see 'General Information').

© Copyright 2015 by S. Karger AG,

CH-4009 Basel (Switzerland)

Printed on acid-free and non-aging paper (ISO 9706)